Cypress Visual Testing


HELLO!

Jesse Sanders


CEO/Founder, BrieBug

jesse.sanders@briebug.com @JesseS_BrieBug







Detect and view visual changes




Manual comparison process




Visual bugs are hard to catch



Color variations?



We run unit, integration, and E2E tests to find issues.



Why not visual?

Base image Current image compare Variance/tolerance

How does it work?





What problem does it solve?


Visual change control

Test and validate complex user interfaces

Graphs Dashboards Layouts Images

Developers change stuff...

What tools are available?



Cypress Visual Regression

Percy.io

Cypress Visual Regression

Plugin for Cypress

PixelMatch Library

• Yugo for visual testing


Captures baseline images

Compares current to baseline

• Fails test if images are different



npm install cypress-visual-regression --save-dev



```
// cypress.json
```

```
"screenshotsFolder": "cypress/snapshots/actual",
"trashAssetsBeforeRuns": true
```

```
// cypress.plugins/index.js
```

```
const getCompareSnapshotsPlugin = require('cypress-visual-regression/dist/plugin');
```

```
module.exports = (on) => {
  getCompareSnapshotsPlugin(on);
};
```

```
// cypress/support/commands.js
const compareSnapshotCommand = require('cypress-visual-regression/dist/command');
```


```
compareSnapshotCommand();
```


context("Amazon tests", () => {
 it("should open home page", () => {
 cy.visit("http://amazon.com");
 cy.compareSnapshot("home");
 });
});


×

Set the baseline images
npx cypress run --env type=base --config screenshotsFolder=cypress/snapshots/base

Run comparisons
npx cypress run --env type=actual









Cypress Visual Regression

UG

- Soup to nuts solution
- Stores images on cloud
- Integrates with GitHub and PR process
- Approval process flow
- Auto approves on specific branches like master

Percy.io





• • •

npm install --save-dev @percy/cypress

// At the top of cypress/support/commands.js
import '@percy/cypress';

// to invoke a snapshot
cy.percySnapshot()

// to run cypress with percy
npx percy exec -- cypress run

• • •

context("Amazon tests", () => {
 it("should open home page", () => {
 cy.visit("http://amazon.com");
 cy.percySnapshot("home");
 });
});

Percy.io





- Sign up for an account
- Create project
- Export PERCY_TOKEN

Percy.io








Create a new project

Projects are how we group related builds in Percy. Usually, you'll want to use the name of your repository or the name of your site.

ect name	
our-of-heroes	

Create Project




npx percy -- cypress run

\$ export PERCY_TOKEN=1469ce43ae11063a29974ed9aaa2aaeebb28bba8a69aa68c037d4ede74f1d451

•••



















8 NS 6





Ends in 04:55:589.98





\$4,06059 \$\$u8-9 Ends in 44:12 \$2.090 dista and Ends in 25:14

\$7.

\$11

End




84 8











Percy.io





Let's make some changes

Percy.io







Find Me?

iJS

International JavaScript Conference





Google Developers Experts

Angular Training, Consulting, Experts

Questions? @JesseS_BrieBug jesse.sanders@briebug.com

